

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.

THERMAL PRINTING A TWO-COLOR SALES RECEIPT

Field of the Invention:

5       The present invention relates to printing sales receipts and, more particularly, to methods of enhancing the appearance of, and safeguarding, sales receipts by inclusion of watermarks, strike-throughs, and circles-about-an-item, all of which can be printed in two colors and in real time.

BACKGROUND OF THE INVENTION

10       Printing sales receipts in two colors is well known in the art. The two colors, such as red and black, draw attention to and emphasize certain important items on the receipt, such as sales tax, discounts, and non-taxable items.

15       This invention reflects the discovery that the appearance of sales receipts can be improved by adding a strike-through function, a watermark, and a circle-about-an-item. In addition to enhancing the appearance of the

003237-12500

receipt, these added functions also improve the security of the receipt against erasures, forgeries, and receipt duplications. For example, the strike-through function can be used to void certain items and to emphasize a discounted item. The watermark function is intended to embed a design, logo, or graphic into the receipt paper. The embedded design is useful in thwarting counterfeit receipts, distinguishing between original and duplicate receipts, and generally discouraging attempts to commit fraud. The circle-about-an-item function is extremely effective in emphasizing certain items.

## SUMMARY OF THE INVENTION

In accordance with the present invention, there is provided methods of enhancing the appearance of, and safeguarding, sales receipts. The methods of this invention provide sales receipts with watermarks, strike-throughs and circles-about-an-item. These added functions can be accomplished in real time; some of them can be printed in differentiating colors. The strike-through function is obtained by selectively adding a dot row to the center of the font cell. The strike-through has application in

009237 "CH4760

voiding purchased items, and in emphasizing the old price in  
a discounted item. The watermark function embeds a  
predefined logo or graphic into the receipt paper, in order  
to discourage fraud and counterfeiting. The watermark  
5 process prints the watermark in red, which cannot be copied  
on black print only copiers. The graphic is filtered to  
provide a faded background image. The method of adding a  
circle to surround a printed item can be selected to  
highlight specific text. The circle can be partially broken  
10 or completely closed. The method uses a set of four command  
parameters.

It is an object of this invention to provide methods of  
enhancing and safeguarding printed sales receipts.

It is another object of the invention to provide  
15 methods of adding strike-throughs, watermarks, and circles-  
about-an-item for two-color sales receipts.

#### BRIEF DESCRIPTION OF THE DRAWINGS

A complete understanding of the present invention may  
be obtained by reference to the accompanying drawings, when

considered in conjunction with the subsequent detailed description, in which:

FIGURE 1 illustrates a plan view of a typical font cell being modified to provide a strike-through function;

5        FIGURE 2 depicts a plan view of a strike-through being used to emphasize the new sale price of a sales item;

FIGURE 3 is a flow chart for the method of providing a strike-through for a sales receipt;

10       FIGURE 4 illustrates a flow chart diagram for the process of generating a watermark on a sales receipt;

FIGURE 5 depicts a plan view of printed sales receipt items featuring the circle-about-an-item function, in accordance with this invention; and

15       FIGURE 6 is a flow chart of the method of providing the circle-about-an-item function as shown in FIGURE 5.

## DESCRIPTION OF THE PREFERRED EMBODIMENT

Generally speaking, the invention features three methods of enhancing the appearance of, and safeguarding, sales receipts. The methods of this invention provide sales receipts with watermarks, strike-throughs, and circles-  
5 about-an-item. These added functions can be accomplished in real time; some of them can be printed in distinguishing colors.

Now referring to FIGURE 1, a typical font cell 10 for standard ASCII text is shown. The font cell 10 was obtained with a 203 dpi thermal printer. The font cell 10 is  
10 thirteen dots wide by twenty-four dots high.

In order to achieve a strike-through, a command is given by the user through the print keyboard (not shown), that selectively adds a dot row 12 to the center of the font  
15 cell 10. The additional dot row 12 comprises the same color as does its destination character or characters. The strike-through function is illustrated in FIGURE 2. It is often used to void purchased items, sales prices, etc. and  
20 to highlight discount pricing.

Referring to FIGURE 3, a flow chart 100 depicts the method used to obtain the strike-through, shown in FIGURE 2. From font memory 101, font data is read, step 102. The data is then stored in temporary memory 104, step 103. If the data has been properly extracted, step 105, then color information is added, step 106. If the data has not been properly extracted, step 105, then block 102 is re-entered via feedback loop 107.

Having properly appended the color information, step 106, this is stored in temporary memory 104. After the color information has been appended, the dots used for the strike-through function are inserted, step 109. This information is also sent to temporary memory 104. The temporary information is then copied into a text frame buffer 114, step 112. The program sequence then returns to the command parser.

The watermark function is a real-time operation that is intended to embed a logo or design into the sales receipt, in order to prevent fraud by fabricating a counterfeit or erroneous receipt. The watermark function combines arbitrary text (i.e., receipts with a predefined logo or graphic). The logo or graphic is filtered in order to

achieve a faded effect. The faded logo is then merged, in real time, with the text stream. The result is a receipt with a faded image in the background. The graphic is printed in red only. The red watermark discourages counterfeiting, because the graphic is difficult to photocopy.

Referring to FIGURE 4, a block diagram is shown of a flow chart 200, showing the method of achieving a watermark when printing a sales receipt. After receipt of a print engine interrupt signal 201, the system determines whether the watermark is enabled, step 202. When the watermark is enabled, a raster is read from logo memory 204, step 203. A fade filter is then applied, step 205, and the graphic is then merged with text, step 208, which is secured from a frame buffer 207. The text can be sent to the print head either directly, step 210, or from the merged graphic, step 211. The program sequence then returns to the command parser, step 212.

The circle-about-an-item command is designed to allow the user to circle one to four lines of ASCII text at any location on the receipt. The circle is intended to provide an additional method for highlighting or emphasizing some



section of the receipt. The command can be selected to create a closed or partially broken circle or any other regular or irregular surrounding shape, as shown in FIGURE 5. The command uses a set of four command parameters with two parameters used to initiate the sequence. The user, therefore, must transmit six, one byte data segments. A typical sequence is illustrated below, in hexadecimal form:

1B<sub>n</sub> XX<sub>n</sub> Field1<sub>n</sub> Field 2<sub>n</sub> Field 3<sub>n</sub> Field 4<sub>n</sub>

As aforementioned, the command is composed of six segments, of which the first segment 1B<sub>n</sub> is an industry standard character (ESC). This character designates a command sequence. The second segment XX<sub>n</sub> refers to an undefined command code. This code is used to signify the real-time circle sequence. The last four parameters (Field1<sub>n</sub> through Field4<sub>n</sub>) are used as coordinate and image selection controls. Table 1, shown below, illustrates the use of these fields.

Table 1

Field 1	Lefthand Center/Loci. Number is based on the maximum allowable characters per line.
Field 2	Righthand Center/Loci. Number is based on the maximum allowable characters per line.
Field 3	Y axis dimension. This is limited to a range of 1 through 4. The field specifies the number of lines that the circle will encompass.
Field 4	Equation/Image selection (i.e., Closed circle, broken circle, other shape, etc.)

Referring to FIGURE 6, a flow chart 300 is shown for providing a circle about a number of lines of text in a sales receipt. A print engine interrupt signal 301 is received. The system determines if the circle is enabled, step 302. When the circle is enabled, a loci is placed in temporary memory 304, step 303. Next, a decision is made as to whether the circle is to be closed or broken, step 305. If the broken circle is formed, step 306, it is merged with text, step 308, which is secured from the frame buffer 307. If a closed circle is formed, step 309, it is merged with text, step 308, which is likewise secured from the frame buffer 307. The text can be sent to the print head either directly, step 310, or from the merged text and circle image, step 311. The program sequence then returns to the command parser, step 312.

Since other modifications and changes varied to fit particular operating requirements and environments will be apparent to those skilled in the art, the invention is not considered limited to the example chosen for purposes of disclosure, and covers all changes and modifications which do not constitute departures from the true spirit and scope of this invention.

Having thus described the invention, what is desired to be protected by Letters Patent is presented in the subsequently appended claims.

What is claimed is: